



Catalogue of ideas

Log cabins | Camping PODs | Garages | Constructions



Timber Cabins products classification:

CATEGORY	PAGE
● Log cabins 0–20 m ²	9
● Log cabins 21–40 m ²	25
● Log cabins 41–60 m ²	56
● Log cabins 60+ m ²	81
● Camping PODs	128
● Garages	137
● Constructions	144

Product index

● Cabins 0-20 m²

- 10 Marigold
- 11 Lotus
- 12 Aral
- 13 Lily
- 14 Daisy
- 15 Honesty with flat roof
- 16 Honesty
- 17 Bitan
- 18 Wisteria
- 19 Balaton
- 20 Covadonga
- 21 Claret
- 22 Besson
- 23 Sepik
- 24 Ohrid

● Cabins 21-40 m²

- 26 Matano
- 27 Valencia
- 28 Michigan
- 29 Onega
- 30 Rond
- 31 Peyron
- 32 Como
- 33 Escur
- 34 Lantan
- 35 Urmia
- 36 Granada
- 37 Van
- 38 Titicaca
- 39 Malawi
- 40 Ladoga

- 41 Huron
- 42 Onega XL
- 43 Cami
- 44 Ontario
- 45 Ontario XL
- 46 Lena
- 47 Vaga
- 48 Hamburg
- 49 Rond XL
- 50 Navarra
- 51 Bora
- 52 Urmia XL
- 53 Gandia
- 54 Manila
- 55 Valencia XL

● Cabins 41-60 m²

- 57 Tulare
- 58 Gila
- 59 Marseille
- 60 Lisabona
- 61 Van XL
- 62 Elk
- 63 Treviso
- 64 Waterton
- 65 Helsinki
- 66 Sofia
- 67 Teide
- 68 Barcelona
- 69 Moderna
- 70 Oka
- 71 Giza
- 72 Denver
- 73 Manitoba

- 74 Winnipeg
- 75 Victoria
- 76 Fortuna
- 77 Tagus
- 78 Dublin
- 79 London
- 80 Tinto

● Cabins 60+ m²

- 82 Milan
- 83 Burgas
- 84 Alto
- 85 Nantes
- 86 Tallinn
- 87 Duero
- 88 Ferrero
- 89 Genoa
- 90 Amsterdam
- 91 Sintra
- 92 Nasser
- 93 Volta
- 94 Genil
- 95 Sovingis
- 96 Veleta
- 97 Don
- 98 Grasse
- 99 Alcantucio
- 100 Bona
- 101 Garda
- 102 Congo
- 103 Milk
- 104 Aldan
- 105 Loire
- 106 Elbe

- 107 Amur
- 108 Riga
- 109 Riga Modern
- 110 Portofino
- 111 Ebro
- 112 Pandora
- 113 Arca
- 114 Krakow
- 115 Dijon
- 116 Bremen
- 117 Geneva
- 118 Nile
- 119 Gdansk
- 120 Lung
- 121 Cartagena
- 122 Kare
- 123 Romer
- 124 Laguna
- 125 Ericeira
- 126 Rio Grande
- 127 Amazon

● Camping PODs

- 129 Oslo 4x4
- 130 Pamplona 4x4
- 131 Oslo 4x4 + overhang
- 132 Pamplona 4x4 + overhang
- 133 Oslo 4x6
- 134 Pamplona 4x6
- 135 Oslo 4x6 + overhang
- 136 Pamplona 4x6 + overhang

● Garages

- 138 Maracaibo
- 139 Negratin
- 140 Skadar
- 141 Lugano
- 142 Namak
- 143 Basalt

● Constructions

- 145 Fuji
- 146 Elbrus
- 147 Etna
- 148 Sinai
- 149 Ararat
- 150 Everest
- 151 Kilimanjaro



Options

You can choose a standard house from the catalogue or order a house according to your own design on a bespoke basis. To achieve the best possible result, the combination of various parts of the house has to be planned:



Walls



Roof



Floor



Doors



Windows



Walls

Our products are available in 2 quality grades: **summer house grade** (houses with a wall thickness of 34 mm or more) and **living house grade** (houses with a wall thickness of 68 mm or more).

Solid timber

STANDARD



Thickness options:

34 mm; 42 mm; 44 mm; 68 mm.

Glued timber

OPTIONAL



Thickness options:

68 mm; 90 mm; 120 mm; 160 mm.


Additional reinforcement



U profile



Wall reinforcement



Window / door reinforcement



Doors




Windows


We are a manufacturer of wooden houses, but we can also offer our customers high-quality windows and doors of our own production. We offer our customers several options for wooden windows and doors. We can offer standard products or modify them according to our customers' needs.

Colour palette

We can also offer our customers factory painted wooden windows, in 3 different colours. For other product colours, please contact the manager.



White
(RAL9016)



Anthracite grey
(RAL7016)



Brown wood
(RAL5070)

Standard sizes

We are offering standard sizes to simplify your ordering. However, we can produce custom size doors and windows according to your specification.



Doors dimensions



Windows dimensions

More information about windows and doors on page 152

Doors and windows types



Windows shutters

Shutters can only be ordered with inside-opening windows. Hence, shutters cannot be applied for Silver line quality.



**Roof****Floor**

Choose between two board thicknesses:
19 or 28 mm floor boards; 17 or 19 mm roof
boards. Solid roof beams as standard or glued
as an option.

Boards available

Floor boards



Roof boards

Terrace boards (*impregnated*)**Floor board thickness**


19 mm



28 mm

Roof board thickness

17 mm



19 mm



28 mm



- **Log cabins 0-20 m²**



MARIGOLD

5.3 m²

Surface area

4.3 m²

Living area

1 door included

Log length dimensions: 2300 x 2300 mm

Ridge height: 2547 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



LOTUS

5.8 m²

Surface area

4.73 m²

Living area

1 door included

- Log length dimensions: 2000 x 2900 mm
- Ridge height: 2275 mm
- Wall height: 2200 mm
- Minimal wall thickness: 34 mm



ARAL

6 m²

Surface area

4.9 m²

Living area

1 window, 1 door included

Log length dimensions: 3000 x 2000 mm

Ridge height: 2242 mm

Wall height: 1890 mm

Minimal wall thickness: 34 mm



LILY

7.54 m²

Surface area

6.32 m²

Living area

1 window, 2 doors included

Log length dimensions: 2300 x 2300 mm

Ridge height: 2370 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



DAISY

7.62 m²

Surface area

6.41 m²

Living area

1 door included

Log length dimensions: 3000 x 4000 mm

Ridge height: 2482 mm

Wall height: 2025 mm

Minimal wall thickness: 34 mm



HONESTY WITH FLAT ROOF

11.7 m²

Surface area

10.2 m²

Living area

2 windows, 1 door included

Log length dimensions:

3000 x 4000 mm

Ridge height:

2372 mm

Wall height:

2025 mm

Minimal wall thickness:

34 mm



HONESTY

11.7 m²

Surface area

10.2 m²

Living area

2 windows, 1 door included

Log length dimensions: 3000 x 4000 mm

Ridge height: 2492 mm

Wall height: 2025 mm

Minimal wall thickness: 34 mm



BITAN

12 m²

Surface area

5.01 m²

Living area

A terrace, 1 window and 1 door included

Log length dimensions: 6000 x 2000 mm

Ridge height: 2377 mm

Wall height: 2025 mm

Minimal wall thickness: 34 mm



WISTERIA

12 m²

Surface area

10.45 m²

Living area

1 window, 1 door included

Log length dimensions: 3000 x 4000 mm

Ridge height: 2654 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



BALATON

13.5 m²

Surface area

7.6 m²

Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 3000 x 3000 mm

Ridge height: 2654 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



COVADONGA

15.75 m²

Surface area

10.55 m²

Living area

A terrace, 4 windows and 2 doors included

Log length dimensions:

3500 x 4500 mm

Ridge height:

4396 mm

Wall height:

2700 mm

Minimal wall thickness:

44 mm



Modifications available



CLARET

15.9 m²

Surface area

10.52 m²

Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 5300 x 3000 mm

Ridge height: 2742 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



BESSON

17.5 m²

Surface area

9.32 m²

Living area

A terrace, 6 windows and 2 doors included

Log length dimensions: 3500 x 5000 mm


Ridge height: 2731 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



SEPIK

19.25 m²

Surface area

14.44 m²

Living area

A terrace, 2 windows and 2 doors included

Log length dimensions: 5500 x 3500 mm

Ridge height: 2503 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



OHRID

20 m²

Surface area

16.08 m²

Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 5000 x 4000 mm

Ridge height: 2368 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



- **Log cabins 21-42 m²**



Modifications available



MATANO

20.72 m²

Surface area

18.55 m²

Living area

5 windows and 2 doors included

Log length dimensions:

5660 x 3660 mm

Ridge height:

2503 mm

Wall height:

2295 mm

Minimal wall thickness:

34 mm



Modifications available



VALENCIA

20.97 m² | 15.01 m²
Surface area | Living area

A terrace, 4 windows and 2 doors included

Log length dimensions: 5810 x 3610 mm
Ridge height: 2918 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm



Modifications available



MICHIGAN

21.19 m²

Surface area

13.34 m²

Living area

A terrace, 5 windows and 2 doors included

Log length dimensions: 3960 x 5350 mm

Ridge height: 2936 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



ONEGA

21.23 m²

Surface area

19.07 m²

Living area

4 windows and 2 doors included

Log length dimensions: 4960 x 4280 mm


Ridge height: 2985 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



ROND

21.25 m²

Surface area

15.26 m²

Living area

A terrace, 4 windows and 2 doors included

Log length dimensions: 4660 x 4560 mm

Ridge height: 2892 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



PEYRON

21.26 m²

Surface area

15 m²

Living area

A terrace, 5 windows and 2 doors included

Log length dimensions:

4160 x 5110 mm

Ridge height:

2750 mm

Wall height:

2160 mm

Minimal wall thickness:

34 mm



Modifications available



COMO

21.34 m²

Surface area

11.4 m²

Living area

A terrace, 3 windows and 3 doors included

Log length dimensions: 4620 x 4620 mm

Ridge height: 3203 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



ESCUR

21.34 m²

Surface area

19.1 m²

Living area

5 windows and 3 doors included

Log length dimensions: 4620 x 4620 mm

Ridge height: 2902 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



LANTAN

21.34 m²

Surface area

19.19 m²

Living area

3 windows and 2 doors included

Log length dimensions:

4620 x 4620 mm

Ridge height:

3037 mm

Wall height:

2295 mm

Minimal wall thickness:

34 mm



Modifications available



URMIA

21.34 m²

Surface area

17.24 m²

Living area

A terrace, 4 windows and 2 doors included

Log length dimensions:

4620 x 4620 mm

Ridge height:

3037 mm

Wall height:

2295 mm

Minimal wall thickness:

34 mm



Modifications available



GRANADA

21.35 m²

Surface area

18.98 m²

Living area

3 windows and 3 doors included

Log length dimensions: 6100 x 3500 mm

Ridge height: 2644 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



VAN

21.38 m²

Surface area

17.59 m²

Living area


A terrace, 5 windows and 3 doors included

Log length dimensions: 4960 x 4310 mm

Ridge height: 3089 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



TITICACA

24.75 m²

Surface area

18.7 m²

Living area

A terrace, 2 windows and 4 doors included

Log length dimensions: 5500 x 4500 mm

Ridge height: 3018 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



MALAWI

24.9 m²

Surface area

22.84 m²

Living area

A terrace, 4 windows and 3 doors included

Log length dimensions:

5566 x 6000 mm

Ridge height:


2654 mm

Wall height:

2160 mm

Minimal wall thickness:

34 mm



LADOGA

24.96 m² | 10.57 m²
 Surface area | Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 4160 x 6000 mm

Ridge height: 2832 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



HURON

26 m²

Surface area

17.9 m²

Living area

A terrace, 3 windows and 2 doors included

Log length dimensions: 4000 x 5000 mm

Ridge height: 2942 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



ONEGA XL

28.9 m²

Surface area

26.19 m²

Living area

4 windows and 3 doors included

Log length dimensions:

5780 x 5000 mm

Ridge height:

3095 mm

Wall height:

2295 mm

Minimal wall thickness:

34 mm



Modifications available



CAMI

29.2 m²

Surface area

33.75 m²

Living area

A terrace, 7 windows and 3 doors included

Log length dimensions:

5160 x 5660 mm

Ridge height:


4940 mm

Wall height:

2970 mm

Minimal wall thickness:

34 mm



ONTARIO

30 m²

Surface area

27.33 m²

Living area

5 windows and 3 doors included

Log length dimensions:

6000 x 5000 mm

Ridge height:

3095 mm

Wall height:

2295 mm

Minimal wall thickness:

34 mm



Modifications available



ONTARIO XL

30 m²

Surface area

27.28 m²

Living area

4 windows and 3 doors included

Log length dimensions: 6000 x 5000 mm

Ridge height: 3095 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



LENA

31.79 m²

Surface area

17.71 m²

Living area

A terrace, 2 windows and 4 doors included

Log length dimensions: 6160 x 5160 mm

Ridge height: 2641 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



VAGA

34.02 m² | **18.69 m²**
 Surface area | Living area

A terrace, 4 windows and 2 doors included

Log length dimensions: 6424 x 5296 mm
 Ridge height: 2629 mm
 Wall height: 2160 / 1755 mm
 Minimal wall thickness: 34 mm



NEW

Modifications available



HAMBURG

34.68 m² | 31.28 m²
Surface area | Living area

6 windows, 3 doors included

Log length dimensions: 7270 x 4770 mm

Ridge height: 3948 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



ROND XL

34.8 m²

Surface area

25.91 m²

Living area

A terrace, 4 windows and 3 doors included

Log length dimensions: 6000 x 5800 mm

Ridge height: 3217 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



NAVARRA

35 m²

Surface area

31.95 m²

Living area

7 windows and 4 doors included

Log length dimensions:

5000 x 7000 mm

Ridge height:

3411 mm

Wall height:

2565 mm

Minimal wall thickness:

34 mm



Modifications available



BORA

35.95 m²

Surface area

37.37 m²

Living area

9 windows, 2 doors included

Log length dimensions: 5996 x 5996 mm

Ridge height: 3881 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



URMIA XL

36 m²

Surface area

30.12 m²

Living area

A terrace, 5 windows and 3 doors included

Log length dimensions: 6000 x 6000 mm

Ridge height: 3248 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



GANDIA

36.5 m²

Surface area

36.27 m²

Living area

15 windows, 2 doors included

Log length dimensions:

8496 x 4296 mm

Ridge height:

3990 mm

Wall height:

3645 mm

Minimal wall thickness:

44 mm



MANILA

36.69 m² | **19.45 m²**
 Surface area | Living area

A terrace, 1 window and 3 doors included

Log length dimensions: 3848 x 9536 mm
 Ridge height: 3625 mm
 Wall height: 2295 mm
 Minimal wall thickness: 44 mm



Modifications available



VALENCIA XL

40 m² | 27.14 m²
Surface area | Living area

A terrace, 6 windows and 3 doors included

Log length dimensions: 8000 x 5000 mm
Ridge height: 3189 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm



- **Log cabins 41-60 m²**



Modifications available



TULARE

40.93 m²

Surface area

41.13 m²

Living area

10 windows, 3 doors included

Log length dimensions:

5350 x 7650 mm

Ridge height:

4423 mm

Wall height:

2430 mm

Minimal wall thickness:

44 mm



Modifications available



GILA

41.09 m²

Surface area

31.8 m²

Living area

A terrace, 4 windows, 5 doors included

Log length dimensions: 5870 x 7000 mm

Ridge height: 2966 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



MARSEILLE

41.28 m²

Surface area

20.9 m²

Living area

A terrace, 3 windows, 2 doors included

Log length dimensions: 7796 x 5296 mm

Ridge height: 2832 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



LISABONA

41.38 m²

Surface area

36.37 m²

Living area

A terrace, 4 windows, 5 doors included

Log length dimensions: 4296 x 12932 mm

Ridge height: 4363 mm

Wall height: 2565 mm

Minimal wall thickness: 44 mm



VAN XL

42 m²

Surface area

33.26 m²

Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 7000 x 6000 mm

Ridge height: 3401 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



ELK

42.88 m²

Surface area

23 m²

Living area

A terrace, 5 windows, 2 doors included

Log length dimensions: 5296 x 8096 mm

Ridge height: 3284 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



TREVISO

45.44 m² | 36.2 m²
 Surface area | Living area

A terrace, 5 windows, 4 doors included

Log length dimensions: 6696 x 6786 mm
 Ridge height: 3351 mm
 Wall height: 2295 mm
 Minimal wall thickness: 44 mm



WATERTON

49 m²

Surface area

27.51 m²

Living area

A terrace, 4 windows, 3 doors included

Log length dimensions: 7000 x 7000 mm

Ridge height: 3401 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



NEW

Modifications available



HELSINKI

49.05 m²

Surface area

58.51 m²

Living area

A terrace, 4 windows, 6 doors included

Log length dimensions: 4960 x 9890 mm

Ridge height: 4926 mm

Wall height: 3510 mm

Minimal wall thickness: 68 mm



Modifications available



SOFIA

49.68 m²

Surface area

58.46 m²

Living area

A terrace, 4 windows, 6 doors included

Log length dimensions:

5160 x 9628 mm

Ridge height:

6012 mm

Wall height:

3510 mm

Minimal wall thickness:

68 mm



Modifications available



TEIDE

50 m²

Surface area

46.35 m²

Living area

7 windows, 4 doors included

Log length dimensions:

6250 x 8000 mm

Ridge height:

3479 mm

Wall height:

2430 mm

Minimal wall thickness:

34 mm

NEW



Wooden part modifications available



BARCELONA

52.94 m² | 43.03 m²
Surface area | Living area

Glass structure in the middle,
2 windows, 5 doors included

Log length dimensions: 4548 x 11640 mm
Ridge height: 3910 mm
Wall height: 2368 mm
Minimal wall thickness: 44 mm



Modifications available



MODERNA

53.52 m²

Surface area

49.7 m²

Living area

8 windows, 3 doors included

Log length dimensions: 9430 x 5676 mm

Ridge height: 2949 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



OKA

53.8 m²

Surface area

50.77 m²

Living area

6 windows, 5 doors included

Log length dimensions:

6360 x 8460 mm

Ridge height:

5599 mm

Wall height:

2700 mm

Minimal wall thickness:

68 mm



GIZA

54.69 m²

Surface area

29.95 m²

Living area

4 windows, 2 doors included

Log length dimensions:

5985 x 9145 mm

Ridge height:

6550 mm

Wall height:

-

Minimal wall thickness:

44 mm

NEW



Modifications available



DENVER

55.81 m²

Surface area

60.15 m²

Living area

8 window, 5 doors included

Log length dimensions:

9509 x 7420 mm

Ridge height:

5202 mm

Wall height:

2700 mm

Minimal wall thickness:

68 mm



Modifications available



MANITOBA

56 m² | 43.21 m²
 Surface area | Living area

A terrace, 6 windows, 4 doors included

- Log length dimensions: 8000 x 7000 mm
- Ridge height: 3272 mm
- Wall height: 2295 mm
- Minimal wall thickness: 34 mm



WINNIPEG

56 m²

Surface area

37.51 m²

Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 8000 x 7000 mm

Ridge height: 3270 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



VICTORIA


56.68 m² | 69.42 m²
Surface area | Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 5800 x 10000 mm
Ridge height: 5840 mm
Wall height: 4050 mm
Minimal wall thickness: 68 mm



Modifications available



FORTUNA


56.96 m² | 42.08 m²
 Surface area | Living area

A terrace, 5 windows, 4 doors included

Log length dimensions: 5496 x 10364 mm
 Ridge height: 2909 mm
 Wall height: 2295 mm
 Minimal wall thickness: 34 mm



Modifications available



TAGUS

57.62 m²

Surface area

49.65 m²

Living area

A terrace, 8 windows, 3 doors included

Log length dimensions:

9205 x 6260 mm

Ridge height:

5335 mm

Wall height:

5335 mm

Minimal wall thickness:

68 mm

NEW



Modifications available



DUBLIN

58.34 m²

Surface area

81.91 m²

Living area

A terrace, 7 windows, 8 doors included

Log length dimensions: 11306 x 5160 mm

Ridge height: 6147 mm

Wall height: 3645 mm

Minimal wall thickness: 68 mm

NEW



Wooden part modifications available



LONDON

59.95 m²

Surface area

36.2 m²

Living area

4 windows, glazed front facade, 4 doors included

Log length dimensions: 4536 x 13217 mm

Ridge height: 4063 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



TINTO

60 m²

Surface area

56.01 m²

Living area

8 windows, 4 doors included

Log length dimensions: 7500 x 8000 mm

Ridge height: 3612 mm

Wall height: 2430 mm

Minimal wall thickness: 34 mm



- **Log cabins 61+ m²**

NEW



Modifications available



MILAN

61.39 m²

Surface area

38.75 m²

Living area

A terrace, 1 window, 8 doors included

Log length dimensions: 13145 x 4670 mm

Ridge height: 3348 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



BURGAS

62 m²

Surface area

48.48 m²

Living area

A terrace, 9 windows, 5 doors included

Log length dimensions: 7160 x 8660 mm

Ridge height: 2639 mm

Wall height: 2160 mm

Minimal wall thickness: 34 mm



Modifications available



ALTO

62.26 m²

Surface area

71.56 m²

Living area

10 windows, 7 doors included

Log length dimensions:

10140 x 6140 mm

Ridge height:

5902 mm

Wall height:

3780 mm

Minimal wall thickness:

68 mm



Modifications available



NANTES

62.29 m² | 55.44 m²
Surface area | Living area

3 windows, 4 doors included

Log length dimensions: 7832 x 10880 mm

Ridge height: 3308 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm

NEW



TALLINN

63.96 m²

Surface area

50.84 m²

Living area

A terrace, 9 windows, 5 doors included

Log length dimensions:

9364 x 6830 mm

Ridge height:

5221 mm

Wall height:

4050 mm

Minimal wall thickness:

68 mm



Modifications available



DUERO

64 m²

Surface area

43.96 m²

Living area

A terrace, 7 windows, 4 doors included

Log length dimensions: 8000 x 8000 mm

Ridge height: 3193 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



FERRERO

65.15 m²

Surface area

41.14 m²

Living area

A terrace, 5 windows, 3 doors included

Log length dimensions:

8938 x 8420 mm

Ridge height:

3925 mm

Wall height:

2295 mm


Minimal wall thickness:

44 mm

NEW



Modifications available



GENOA

65.87 m²

Surface area

35.46 m²

Living area

A terrace, 1 window, 5 doors included

Log length dimensions: 7000 x 9410 mm

Ridge height: 4556 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



AMSTERDAM

66.6 m²

Surface area

107.64 m²

Living area

A terrace, 13 windows, 4 doors included

Log length dimensions:

7932 x 9408 mm

Ridge height:

5636 mm

Wall height:

2295 mm

Minimal wall thickness:

68 mm



SINTRA

66.9 m²

Surface area

58.42 m²

Living area

A terrace, 6 windows, 5 doors included

Log length dimensions: 10796 x 6196 mm

Ridge height: 3982 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



NASSER

68.24 m²

Surface area

61.03 m²

Living area

A terrace, 7 windows, 9 doors included

Log length dimensions:

7503 x 9095 mm

Ridge height:

5621 mm

Wall height:

3105 mm

Minimal wall thickness:

68 mm



Modifications available



VOLTA

68.38 m²

Surface area

45.3 m²

Living area

A terrace, 11 windows, 4 doors included

Log length dimensions: 7340 x 11716 mm

Ridge height: 3023 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



GENIL

72 m²

Surface area

59.45 m²

Living area

A terrace, 6 windows, 4 doors included

Log length dimensions: 9000 x 8000 mm

Ridge height: 3686 mm

Wall height: 2430 mm

Minimal wall thickness: 44 mm



Modifications available



SUVINGIS

72.64 m²

Surface area

42.31 m²

Living area

A terrace, 5 windows, 4 doors included

Log length dimensions: 8000 x 7500 mm

Ridge height: 3628 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



VELETA

75 m²

Surface area

70.54 m²

Living area

A terrace, 8 windows and 4 doors included

Log length dimensions: 7500 x 10000 mm

Ridge height: 3817 mm

Wall height: 2565 mm

Minimal wall thickness: 34 mm



Modifications available



DON

76.5 m²

Surface area

84.04 m²

Living area

A terrace, 9 windows, 9 doors included

Log length dimensions:

9280 x 9412 mm

Ridge height:



6192 mm

Wall height:

3510 mm

Minimal wall thickness:

68 mm



GRASSE

76.8 m²

Surface area

72.87 m²

Living area

A terrace, 7 windows, 8 doors included

Log length dimensions: 12296 x 6246 mm

Ridge height: 5674 mm

Wall height: 2730 mm

Minimal wall thickness: 68 mm



Modifications available



ALCANTUCIO

78.05 m² | 44.6 m²
Surface area | Living area

A terrace, 6 windows, 3 doors included

Log length dimensions: 12212 x 6392 mm

Ridge height: 3622 mm

Wall height: 2430 mm

Minimal wall thickness: 34 mm



BONA

78.89 m²

Surface area

51.42 m²

Living area

A terrace, 7 windows, 4 doors included

Log length dimensions: 9396 x 8396 mm

Ridge height: 3459 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



GARDA

79.28 m²

Surface area

54.99 m²

Living area

A terrace, 7 windows, 4 doors included

Log length dimensions:

10128 x 7828 mm

Ridge height:

3177 mm

Wall height:


2970 mm

Minimal wall thickness:

44 mm



Modifications available



CONGO

79.605 m² | 98.46 m²
Surface area | Living area

A terrace, 11 windows, 9 doors included

Log length dimensions:

10620 x 8352 mm

Ridge height:

5723 mm

Wall height:

2970 mm

Minimal wall thickness:

68 mm



Modifications available



MILK

81 m²

Surface area

75.23 m²

Living area

7 windows, 7 doors included

Log length dimensions: 9000 x 9000 mm

Ridge height: 3538 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



ALDAN

81.6 m²

Surface area

57.72 m²

Living area

A terrace, 5 windows, 7 doors included

Log length dimensions: 12000 x 6800 mm

Ridge height: 3367 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



Modifications available



LOIRE

83.8 m²

Surface area

61.42 m²

Living area

A terrace, 5 windows, 5 doors included

Log length dimensions: 8864 x 9694 mm

Ridge height: 4059 mm

Wall height: 2700 mm

Minimal wall thickness: 44 mm



ELBE

86.04 m²

Surface area

121.76 m²

Living area

13 windows and 9 doors included

Log length dimensions:

9800 x 8780 mm

Ridge height:

5742 mm

Wall height:


2970 mm

Minimal wall thickness:

68 mm



Modifications available



AMUR

87.24 m²

Surface area

67.5 m²

Living area

A terrace, 6 windows and 4 doors included

Log length dimensions: 10960 x 7960 mm

Ridge height: 3903 mm

Wall height: 2430 mm

Minimal wall thickness: 44 mm



RIGA

85.63 m²

Surface area

72.02 m²

Living area

A terrace, 7 windows and 5 doors included

Log length dimensions: 10696 x 8006 mm

Ridge height: 3191 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



RIGA MODERN

85.63 m² | 70.43 m²
Surface area | Living area

A terrace, 8 windows and 5 doors included

Log length dimensions: 10696 x 8006 mm

Ridge height: 2774 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



PORTOFINO

89.72 m² | 63.41 m²
 Surface area | Living area

A terrace, 5 windows and 5 doors included

Log length dimensions: 6296 x 14250 mm
 Ridge height: 3066 mm
 Wall height: 2295 mm
 Minimal wall thickness: 34 mm



Modifications available



EBRO

92.4 m²

Surface area

79.75 m²

Living area

A terrace, 7 windows and 7 doors included

Log length dimensions: 10500 x 8800 mm

Ridge height: 3811 mm

Wall height: 2430 mm

Minimal wall thickness: 34 mm



Modifications available



PANDORA

97.03 m²

Surface area

90.8 m²

Living area

8 windows and 6 doors included

Log length dimensions: 8296 x 11696 mm

Ridge height: 3307 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



ARCA

99.03 m²

Surface area

86.5 m²

Living area

A terrace, 8 windows and 5 doors included

Log length dimensions: 10320 x 9596 mm

Ridge height: 4085 mm

Wall height: 2495 mm

Minimal wall thickness: 44 mm



Modifications available



KRAKOW

99.98 m²

Surface area

48.15 m²

Living area

A terrace, 6 windows and 4 doors included

Log length dimensions:

8596 x 11632 mm

Ridge height:


4106 mm

Wall height:

2295 mm

Minimal wall thickness:

44 mm



DIJON

102.26 m²
Surface area

66.12 m²
Living area

A terrace, 11 windows and 5 doors included

Log length dimensions: 12296 x 9732 mm

Ridge height: 3457 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



BREMEN

102.84 m²

Surface area

59.97 m²

Living area

A terrace, 5 windows and 5 doors included

Log length dimensions: 12296 x 8364 mm

Ridge height: 3606 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



GENEVA

104.3 m²

Surface area

71.13 m²

Living area

A terrace, 7 windows and 7 doors included

Log length dimensions:

13552 x 8464 mm

Ridge height:


3494 mm

Wall height:

2295 mm

Minimal wall thickness:

44 mm



NILE

112.2 m²

Surface area

82 m²

Living area

A terrace, 7 windows and 6 doors included

Log length dimensions:

11540 x 10520 mm

Ridge height:

4421 mm

Wall height:

2430 mm

Minimal wall thickness:

44 mm



Modifications available



GDANSK

114.17 m² | 95.45 m²
Surface area | Living area

A terrace, 8 windows and 9 doors included

Log length dimensions: 12296 x 8296 mm

Ridge height: 3673 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



LUNG

116.26 m²

Surface area

94.74 m²

Living area

A terrace, 10 windows and 9 doors included

Log length dimensions:

6196 x 18764 mm

Ridge height:

3248 mm

Wall height:

2295 mm

Minimal wall thickness:

34 mm



Modifications available



CARTAGENA

124.22 m² | 125.15 m²
Surface area | Living area

A terrace, 15 windows and 7 doors included

Log length dimensions: 11132 x 13608 mm
Ridge height: 4974 mm
Wall height: 2295 mm
Minimal wall thickness: 68 mm



Modifications available



KARE

132.12 m²

Surface area

116.58 m²

Living area

A terrace, 10 windows and 6 doors included

Log length dimensions: 10160 x 13004 mm

Ridge height: 2773 mm

Wall height: 2295 mm

Minimal wall thickness: 44 mm



Modifications available



ROMER

133.9 m²

Surface area

70.2 m²

Living area

A terrace, 10 windows and 7 doors included

Log length dimensions: 14096 x 9080 mm

Ridge height: 3573 mm

Wall height: 2430 mm

Minimal wall thickness: 44 mm



Modifications available



LAGUNA

143.02 m² | 107.97 m²
Surface area | Living area

A terrace, 11 windows and 10 doors included

Log length dimensions: 11646 x 13222 mm
Ridge height: 3762 mm
Wall height: 2295 mm
Minimal wall thickness: 44 mm



Modifications available



ERICEIRA


148.12 m² | 118.03 m²
Surface area | Living area

A terrace, 14 windows and 6 doors included

Log length dimensions: 18296 x 8096 mm
Ridge height: 3565 mm
Wall height: 2295 mm
Minimal wall thickness: 44 mm



Modifications available



RIO GRANDE

150.12 m² | 112.74 m²
 Surface area | Living area

A carpot, 9 windows and 12 doors included

Log length dimensions: 18280 x 8212 mm
 Ridge height: 2990 mm
 Wall height: 2430 mm
 Minimal wall thickness: 44 mm



Modifications available



AMAZON

208.1 m²

Surface area

140.41 m²

Living area

A terrace, 15 windows and 10 doors included

Log length dimensions: 18650 x 13780 mm

Ridge height: 4137 mm

Wall height: 2835 mm

Minimal wall thickness: 44 mm



- **Camping PODs**

NEW



Terrace available



OSLO 4x4

16.09 m² | 14.62 m²
Surface area | Living area

2 windows, 1 door included

Log length dimensions:	3958 x 4064 mm
Ridge height:	2832 mm
Wall height:	-
Minimal wall thickness:	42 mm



Terrace available



PAMPLONA 4x4

16.43 m²

Surface area

14.84 m²

Living area

1 window, 1 door included

Log length dimensions: 3958 x 4127 mm

Ridge height: 2602 mm

Wall height: -

Minimal wall thickness: 42 mm

NEW



Terrace available

131



OSLO 4x4 + overhang

18.93 m² | 14.62 m²
Surface area | Living area

2 windows, 1 door included

Log length dimensions: 4658 x 4064 mm
Ridge height: 2832 mm
Wall height: -
Minimal wall thickness: 42 mm



Terrace available



PAMPLONA 4x4 + overhang

19.22 m² | 14.84 m²
Surface area | Living area

1 window, 1 door included

Log length dimensions:	4658 x 4127 mm
Ridge height:	2602 mm
Wall height:	-
Minimal wall thickness:	42 mm



Terrace available



OSLO 4x6

23.76 m² | 22.38 m²
Surface area | Living area

2 windows, 3 doors included

Log length dimensions: 5970 x 4064 mm

Ridge height: 2832 mm

Wall height: -

Minimal wall thickness: 42 mm



Terrace available



PAMPLONA 4x6

24.64 m² | 22.8 m²
Surface area | Living area

1 window, 2 doors included

Log length dimensions:	5970 x 4127 mm
Ridge height:	2602 mm
Wall height:	-
Minimal wall thickness:	42 mm



Terrace available



OSLO 4x6 + overhang

20.71 m² | 19.6 m²
Surface area | Living area

2 windows, 3 doors included

Log length dimensions: 5970 x 4064 mm
Ridge height: 2832 mm
Wall height: -
Minimal wall thickness: 42 mm



Terrace available



PAMPLONA 4x6 + overhang

24.64 m² | 19.98 m²
Surface area | Living area

1 window, 2 doors included

Log length dimensions:	5970 x 4127 mm
Ridge height:	2602 mm
Wall height:	-
Minimal wall thickness:	42 mm



- **Garages**



MARACAIBO

21.28 m² | 19.26 m²
Surface area | Living area

1 window and 1 door included
Garage doors not included

Log length dimensions: 3980 x 5360 mm
Ridge height: 2869 mm
Wall height: 2295 mm
Minimal wall thickness: 34 mm



NEGRATIN

21.33 m²

Surface area

19.19 m²

Living area

1 door included

Garage doors not included

Log length dimensions: 3760 x 5660 mm

Ridge height: 2835 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



SKADAR

30.17 m² | **22.63 m²**
Surface area | Living area

A terrace, 1 window and 2 doors included
Garage doors not included

Log length dimensions: 5248 x 5748 mm
Ridge height: 3024 mm
Wall height: 2160 mm
Minimal wall thickness: 34 mm



LUGANO

36 m²

Surface area

28.59 m²

Living area

A terrace, 1 window, and 1 door included
Garage doors not included

Log length dimensions: 6000 x 6000 mm

Ridge height: 3178 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



NAMAK

37.64 m²

Surface area

34.65 m²

Living area

1 window, 1 door included
Garage doors not included

Log length dimensions:

6548 x 5748 mm

Ridge height:

3259 mm

Wall height:

2295 mm

Minimal wall thickness:

44 mm



BASALT

53.97 m²

Surface area

19.67 m²

Living area

A terrace, 1 window and 1 door included
Garage doors not included

Log length dimensions: 10460 x 5160 mm

Ridge height: 3182 mm

Wall height: 2295 mm

Minimal wall thickness: 34 mm



- **Constructions**



FUJI

13.14 m²

Surface area

Log length dimensions: 4760 x 2760 mm

Ridge height: 2400 mm

Wall height: 2400 mm

Minimal wall thickness: 34 mm



ELBRUS

16 m²

Surface area

Log length dimensions:	4000 x 4000 mm
Ridge height:	3662 mm
Wall height:	2400 mm
Minimal wall thickness:	34 mm



ETNA

16.77 m²

Surface area

Log length dimensions: 5240 x 3200 mm

Ridge height: 3405 mm

Wall height: 2458 mm

Minimal wall thickness: 34 mm



SINAI

19.72 m²

Surface area

Log length dimensions: 3400 x 5800 mm

Ridge height: 2980 mm

Wall height: 2400 mm

Minimal wall thickness: 34 mm



ARARAT

19.25 m²

Surface area

Log length dimensions: 5500 x 3500 mm

Ridge height: 3264 mm

Wall height: 2481 mm

Minimal wall thickness: 34 mm



EVEREST

19.25 m²

Surface area

Log length dimensions: 5500 x 3500 mm

Ridge height: 3647 mm

Wall height: 2110 mm

Minimal wall thickness: 34 mm



KILIMANJARO

29.98 m²

Surface area

Log length dimensions: 5700 x 5260 mm

Ridge height: 3687 mm

Wall height: 2463 mm

Minimal wall thickness: 34 mm



Windows options

Silver Line

Glass unit – double-glazed, 14 mm

UW – 3.3 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Frame depth – 80 mm

Sash thickness – 42 mm

Opening direction – outward opening

The double-windows open to their full extent, but the mullion remains in the middle

Opening options – 1 position (side hung outward opening)

It is possible to have non-opening windows

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double-window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles – metal colour, hinges – shiny metal colour)

All windows (window frames, sashes and architraves) come in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Georgian bars (decorative grids of the window) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client





Windows options

Superior

Glass unit – double-glazed, 18 mm

UW – 2.8 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Frame depth – 56 mm

Sash thickness – 54 mm

Opening direction – inward opening

1. Single window – inward tilt and turn opening.
2. Double window: right leaf – 2 positions (tilt and turn opening), left leaf – 1 position (side-hung turn opening)

Double windows – open fully, no central mullions.

It is possible to have non-opening windows

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles and hinge covers) – non-shiny silver colour as standard.

Adjustable to the colour of window frames and window sashes

Windows sills (protects frame from the water), the colour of the sills – brown

All windows (window frames, sashes and architraves) come in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Georgian bars (decorative grids of the window) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client

You can also choose windows with window shutters (double leaf shutters)





Windows options

Premium

Glass unit – double-glazed, 27 mm

UW – 2.6 W/(m²K)

Type of glass – plain or toughened

Glass thickness

1. Plain – 3 and 4 mm
2. Toughened – 6 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Frame depth – 68 mm

Sash thickness – 68 mm

Opening direction – inward opening

1. Single window – inward tilt and turn opening.
2. Double window: right leaf – 2 positions (tilt and turn opening), left leaf – 1 position (side-hung turn opening)

Double windows – opens fully, no central mullions

It is possible to choose non-opening windows

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles and hinge covers) – brown colour as standard.

Adjustable to the colour of window frames and window sashes

Windows sills (protects frame from the water), the colour of the sills – brown

All windows (window frames, sashes and architraves) come in natural pine wood colour

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Georgian bars (decorative grids of the window) – optional, installed on the inside and outside (on the glass unit)

The layout of the Georgian bars is chosen by the client

You can also choose windows with window shutters (double leaf shutters)





Windows options

Residential

Glass units:

1. Double-glazed, 24 mm
2. Triple-glazed, 44 mm

UW of a double-glazed unit – 1.5 W/(m²K)

UW of a triple-glazed unit – 1.1 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Sash thickness – 68 or 88 mm

Opening direction – inward tilt and turn opening

It is possible to have non-opening windows with a fixed sash

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles and hinge covers) – silver, gold, or white

Windows with sills (protects frame from the water)

The colour of the window frame and window sashes – white (RAL9010), beige (RAL1001), anthracite grey (RAL7016), papyrus white (RAL9018), brown (RAL8017) or clear lacquer (TM1702)

Georgian bars (decorative grids of the window) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client





Windows options

PVC

Glass unit – double-glazed, 24 mm

UW – 1.5 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling of the glass unit – argon gas

Hinges – adjustable

Architraves – 19x95 mm

Opening direction – inward tilt and turn opening

It is possible to choose non-opening windows

Sizes of the windows are available within size ranges listed below (without profile):

1. Opening, single window (width – 560-960 mm, height 560-2160 mm)
2. Opening, double window (width – 960-1960 mm, height 560-2160 mm)
3. Non-opening, single window (width – 380-2160 mm, height 380-2160 mm)

Hardware of the windows (handles and hinge covers) – silver, gold, or white

Windows sills (protects frame from the water)

The colour of the window frame and window sashes – white (RAL9010), anthracite grey (RAL7016), or brown (RAL8017).

Georgian bars (decorative grids of the window) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client





Doors options

Interior

Hinges – adjustable

Opening – according to the chosen direction

Frame depth– 80mm

Sash thickness – 42mm

Door filler – panel, thickness – 34 mm

Architraves – 19x95 mm

The door is completely wooden, without additional options

It is possible to have a door without a threshold

Sizes of the doors are available within size ranges listed below (without profile):

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Hardware of the door (handles and hinge covers) – shiny metal colour

The door comes in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Door comes with a default cylinder lock

Wooden threshold, 40 mm





Doors options

Silver Line

Hinges – adjustable

Opening – to the outside

Frame depth – 80 mm

Sash thickness – 42 mm

Door filler – boards, 17x61 mm

Architraves – 19x95 mm

Sizes of the doors are available within size ranges listed below (without profile):

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Choices for glazing and timber part split:

1/2 and 1/2 | 1/3 and 2/3 | 2/3 and 1/3 | Full glass | Full wood

Glass unit – double-glazed, 14 mm

UW = 3.3 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 mm

The filling – argon gas

Half leaf doors are available

It is possible to combine windows and doors into one common block of facade

Georgian bars (decorative grids of the glazing) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client


Hardware of the door (handles – metal colour, hinges covers – shiny metal colour) as standard, adjustable to the colour of door frames and door sashes

The door comes in natural pine wood colour

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Door comes with a default cylinder lock

Threshold is wooden, 40 mm





Doors options

Superior

Hinges – adjustable

Opening – to the outside, single door (inward and outward)

Frame depth – 90 mm

Sash thickness – 45 mm

Door filler – boards, 17x61 mm

Architraves – 19x95 mm

Sizes of the doors are available within size ranges listed below (without profile):

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Choices for glazing and timber part split:

1/2 and 1/2 | 1/3 and 2/3 | 2/3 and 1/3 | Full glass | Full wood

Glass unit – double-glazed, 18 mm

UW – 2.8 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 mm

The filling – argon gas

Half leaf doors are available.

It is possible to combine windows and doors into one common block of facade

Georgian bars (decorative grids of the glazing) – optional, installed on the outside

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles – metal colour, hinges covers – shiny metal colour) as standard, adjustable to the colour of door frames and door sashes

The door comes in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Door comes with a default cylinder lock. You can also choose a three-point lock

The threshold is wooden, 43 mm





Doors options

Premium

Hinges – adjustable

Opening – to the outside (outward)

Frame depth – 68 mm

Sash thickness – 68 mm

Door filler – panel, thickness – 35 mm

Architraves – 19x95 mm

Sizes of the doors are available within size ranges listed below (without profile):

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Choices for glazing and timber part split:

1/2 and 1/2 | 1/3 and 2/3 | 2/3 and 1/3 | Full glass | Full wood

Glass unit – double-glazed, 27 mm

UW – 2.6 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 3 and 4 mm

The filling – argon gas

Half leaf doors are available. It is possible to combine windows and doors into one common block of facade.

Georgian bars (decorative grids of the glazing) – optional, installed on the inside and outside (on the glass unit)

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles and hinge covers) – brown colour as standard, adjustable to the colour of door frames and door sashes.

The door comes in natural pine wood colour.

Option to have these factory painted in anthracite grey (RAL 7016), white (RAL 9016), brown wood (RAL 5070)

Door comes with a default cylinder lock, and 3-point latches.

You can also choose a four-point lock

It is possible to have a door without a threshold (internal doors only)

The threshold is metal, 20 mm





Doors options

Residential (sliding)

Opening – sliding

Profile systems:

1. D56 – frame depth 122 mm, double-glazed
2. D68 – frame depth 146 mm, triple-glazed

Architraves – 19x95 mm

Sizes of the doors are available:

1. Two sashes 2000X2000
2. Three sashes 3000X2000
3. Four sashes 4000X2000

Choices of glazing proportions

1/2 and 1/2 | Full glass | Full wood

Glass units

1. Double-glazed, 24 mm
2. Triple-glazed, 44 mm

UW of a double-glazed – 1.5 W/(m²K)

UW of a triple-glazed – 1.1 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling – argon gas

Georgian bars (decorative grids of the glazing) – installed on the inside or outside (on the glass unit)

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles) – brown, silver, adjustable to the colour of the door

Colour of the door and the threshold – white (RAL9010), beige (RAL1001), anthracite grey (RAL7016), papyrus white (RAL9018), brown (RAL8017) or clear lacquer (TM1702)

Door lock – door comes with a default cylinder lock.

Threshold – wooden or aluminium





Doors options

Residential (standard)

Hinges – adjustable

Opening – inward and outward

Frame depth – 115 mm

Architraves – 19x95 mm

Standard door sizes available (without profile)

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Choices of glazing proportions

1/2 and 1/2 | Full glass | Full wood

Glass units

1. Double-glazed, 24 mm

2. Triple-glazed, 44 mm

UW of a double-glazed – 1.5 W/(m²K)

UW of a triple-glazed – 1.1 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling – argon gas

Georgian bars (decorative grids of the window glass package) – installed on the inside or outside (close to the glass)

The layout of the Georgian bars is chosen by the client

Hardware of the door (handles and hinge covers) – brown, silver or matching the colour of the door

Colour of the door and the threshold – white (RAL9010), beige (RAL1001), anthracite grey (RAL7016), papyrus white (RAL9018), brown (RAL8017) or clear lacquer (TM1702)

Door lock – FUHR door lock

Threshold – wooden or aluminium





Doors options

Aluminium

Opening – sliding

The width of the door frame depends on the number of sashes.

Sash thickness – 30 mm

Frame depth

1. Two sashes – 60 mm
2. Three sashes – 90 mm
3. Four sashes – 120 mm

Standard door sizes

1. Two sashes 2000X2000 mm
2. Three sashes 3000X2000 mm
3. Four sashes 4000X2000 mm

Glass unit – double-glazed, 16 mm

Type of glass – plain or tinted

Glass tempering – toughened or not

Glass thickness – 4 mm

The filling – argon gas

Hardware of the door (handles and hinge covers) – brown or white

Colour of the door and the threshold – white (RAL9016), brown (RAL8017), anthracite grey (RAL7016)

Door lock – door comes with a default cylinder lock.





Doors options

PVC

Hinges – adjustable

Opening – to the field

Frame depth – 70 mm

Architraves – 19 x 95 mm

Standard door sizes available (without profile)

Single door (width – 600-1060 mm, height – 1000-2160 mm)

Double door (width – 1160-2460 mm, height – 1000-2160 mm)

Glass unit – double-glazed, 24 mm

UW – 1.5 W/(m²K)

Type of glass – plain or toughened

Glass thickness – 4 mm

The filling – argon gas

Georgian bars (decorative grids of the glazing) – optional,
installed on the inside or outside (on the glass unit)

The layout of the Georgian bars is chosen by the client

Hardware (handles and hinge covers) – silver brown or white

Colour of the door and the threshold – white (RAL9016), anthracite grey (RAL7016) or brown (RAL8017)

Door comes with a default cylinder lock.

The threshold – metal or plastic





CATALOGUE OF IDEAS
2023/2024